

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	184	transmit\$3 with (encrypt\$3) with data with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 01:07
L2	702	password with ((secur\$3 private) near2 (communication channel connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 01:08
L3	135	password with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:17
L4	1680	key with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:17
L5	55	pin with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:20
L6	2	passcode with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:20
L7	0	secretcode with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:20
L8	3	(secret adj code) with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:21
L9	3	((secret adj code) with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)) and (secret adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:22
L10	3	((secret adj code) with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)) and (secret adj code) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:23

L11	0	((pass adj code) with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)) and (secret adj code) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:23
L12	14	((encrypt\$3 adj key) with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)) and (secret adj code) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:28
L13	719	((encrypt\$3 adj key) with ((secur\$3 private) near2 (communication channel connection)) with (encrypt\$3)) and (encrypt\$3 adj key) and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:24
L14	16	"6424954"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 02:42
L15	72	password with generat\$3 with (session adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 03:37
L16	4	"6317829"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 04:05
L17	273	International-Business-Machines.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 04:06
L18	1	International-Business-Machines.as. and (password with encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 04:06
L19	2	International-Business-Machines.as. and (password and encrypt\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 04:06

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4330	(key adj (exchang\$3 authentication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 19:38
S2	2339	(key adj (exchang\$3 authentication)) and ((secur\$3 private encrypt\$3 cipher\$3 encipher\$3 cypher\$3 encypher\$3) near2 (connection channel communicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:22
S3	67	(key adj (exchang\$3 authentication)) and ((secur\$3 private encrypt\$3 cipher\$3 encipher\$3 cypher\$3 encypher\$3) near2 (connection channel communicat\$3)) and (ssl) and (public adj key) and (asymmetric adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:25
S4	595	(key adj (exchang\$3 authentication)) same((secur\$3 private encrypt\$3 cipher\$3 encipher\$3 cypher\$3 encypher\$3) near2 (connection channel communicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:26
S5	411	(key adj (exchang\$3 authentication)) same((secur\$3 private encrypt\$3 cipher\$3 encipher\$3 cypher\$3 encypher\$3) near2 (connection channel communicat\$3)) and (public adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:26
S6	112	(key adj (exchang\$3 authentication)) same((secur\$3 private encrypt\$3 cipher\$3 encipher\$3 cypher\$3 encypher\$3) near2 (connection channel communicat\$3)) and (public adj key) and SSL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:55
S7	340	((password passcode key pin) adj (exchang\$3 authentication)) with ((secur\$3 private encrypt\$3 cipher\$3 encipher\$3 cypher\$3 encypher\$3) near2 (connection channel communicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:45

S8	224	((password passcode key pin) adj (exchang\$3 authentication)) with ((secur\$3 private encrypt\$3 cipher\$3 encipher\$3 cypher\$3 encypher\$3) near2 (connection channel communicat\$3)) and (public adj key)\	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:45
S9	53	((password passcode key pin) adj (exchang\$3 authentication)) with ((secur\$3 private encrypt\$3 cipher\$3 encipher\$3 cypher\$3 encypher\$3) near2 (connection channel communicat\$3)) and (public adj key) and SSL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:45
S10	8	((password passcode pin) adj (exchang\$3 authentication)) with ((secur\$3 private encrypt\$3 cipher\$3 encipher\$3 cypher\$3 encypher\$3) near2 (connection channel communicat\$3)) and (public adj key) and SSL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:47
S11	12	((password passcode pin) adj (exchang\$3 authentication)) with ((secur\$3 private encrypt\$3 cipher\$3 encipher\$3 cypher\$3 encypher\$3) near2 (connection channel communicat\$3)) and (public adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:47
S12	29	((password passcode pin) adj (exchang\$3 authentication)) with ((secur\$3 private encrypt\$3 cipher\$3 encipher\$3 cypher\$3 encypher\$3) near2 (connection channel communicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 21:23
S13	34	((password (pass adj (code word)) passcode pin) adj (exchang\$3 authentication)) with ((secur\$3 private encrypt\$3 cipher\$3 encipher\$3 cypher\$3 encypher\$3) near2 (connection channel communicat\$3 session))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:53
S14	5	S13 not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:53
S15	46	(key adj (exchang\$3 authentication)) with ((secur\$3 private encrypt\$3 cipher\$3 encipher\$3 cypher\$3 encypher\$3) near2 (connection channel communicat\$3)) and (public adj key) and SSL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:58

S16	0	S15 not S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:55
S17	1	((session adj key) adj (exchang\$3 authentication)) with ((secur\$3 private encrypt\$3 cipher\$3 encipher\$3 cypher\$3 encypher\$3) near2 (connection channel communicat\$3)) and (public adj key) and SSL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:58
S18	9	((session adj key) near2 (exchang\$3 authentication)) with ((secur\$3 private encrypt\$3 cipher\$3 encipher\$3 cypher\$3 encypher\$3) near2 (connection channel communicat\$3)) and (public adj key) and SSL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:59
S19	83	((key) near2 (exchang\$3 authentication)) with ((secur\$3 private encrypt\$3 cipher\$3 encipher\$3 cypher\$3 encypher\$3) near2 (connection channel communicat\$3)) and (public adj key) and SSL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 18:58
S20	2603	password with key with (\$2crypt\$3 \$2cipher\$3 cipher\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 19:39
S21	169	password with key with (\$2crypt\$3 \$2cipher\$3 cipher\$3) with ((private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3) near3 (communication connect\$3 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 19:41
S22	145	password with key with (\$2crypt\$3 \$2cipher\$3 cipher\$3) with ((private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3) near3 (communicat\$3 connect\$3 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 19:42
S23	146	password with key with (\$2crypt\$3 \$2cypher\$3 \$2cipher\$3 cypher\$3 cipher\$3) with ((private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3) near3 (communicat\$3 connect\$3 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 19:42
S24	27	password with key with (\$2crypt\$3 \$2cypher\$3 \$2cipher\$3 cypher\$3 cipher\$3) with ((private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3) near3 (communicat\$3 connect\$3 channel)) and counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 23:03

S25	26	password with key with (\$2crypt\$3 \$2cypher\$3 \$2cipher\$3 cypher\$3 cipher\$3) with ((private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3) near3 (communicat\$3 connect\$3 channel)) and ((session share) adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 21:13
S26	103	S23 not S25 not S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 20:07
S27	14	password adj based adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 20:07
S28	14	password adj based adj key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 20:07
S29	27	(key near2 (password)) with authenticat\$3 with((private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3) near3 (communicat\$3 connect\$3 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 20:39
S31	2425	(password passcode (pass adj word)) and ((\$2crypt\$3 \$2cipher\$3 cipher\$3) adj key) and ((private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3) near3 (communicat\$3 connect\$3 channel)) and (session shar\$3) and request\$3 and (send\$3 transmitt\$3 transmission pass\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 20:42
S32	203	(password passcode (pass adj word)) and ((\$2crypt\$3 \$2cipher\$3 cipher\$3) adj key) and ((private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3) near3 (communicat\$3 connect\$3 channel)) and (session shar\$3) and request\$3 and (send\$3 transmitt\$3 transmission pass\$3) and non-secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 21:23
S33	65	(password near3 ((private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3) adj3 (communicat\$3 connect\$3 channel))) same ( key with (\$2crypt\$3 \$2cypher\$3 \$2cipher\$3 cypher\$3 cipher\$3) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 22:57

S34	65	(password near3 ((private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3) adj3 (communicat\$3 connect\$3 channel))) same ( key with (\$2crypt\$3 \$2cypher\$3 \$2cipher\$3 cypher\$3 cipher\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 21:14
S35	181	(password with ((private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3) adj3 (communicat\$3 connect\$3 channel))) same ( key with (\$2crypt\$3 \$2cypher\$3 \$2cipher\$3 cypher\$3 cipher\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 21:15
S36	97	("5923756" "6198824" "5535276" "5864683" "6088799" "5734718" "6061790" "6061790" "5818936" "6098056" "6314521" "6327578" "6385728" "6442696" "6665709" "6003136" "6009175" "6055639" "6175920" "6094721" "6807181" "6834112" "6185685" "5966705" "6490679" "5590199" "6681327" "5604803" "5732137" "5737419" "6192130" "6324648" "5237614" "6539479" "6038597" "5913025" "6230272" "6230269" "6393569" "6072876" "6105012" "6393484" "6185681" "6233565" "6829356" "6292790" "5491752" "5210795" "5636280" "6044154").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 21:23
S37	95	(password passcode (pass adj word) \$2crypt\$3 \$2cipher\$3 cipher\$3 key private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3 communicat\$3 connect\$3 channel session shar\$3 request\$3 send\$3 transmitt\$3 transmission pass\$3 non-secure) and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 22:32
S38	29	(password passcode (pass adj word) \$2crypt\$3 \$2cipher\$3 cipher\$3 key private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3 communicat\$3 connect\$3 channel session shar\$3 request\$3 send\$3 transmitt\$3 transmission pass\$3 non-secure) and S36 and (secur\$3 near3 authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 22:22

S39	43	(US-20010041556-\$ or US-20020069174-\$ or US-20050033974-\$ or US-20050044356-\$ or US-20050041687-\$ or US-20050025184-\$ or US-20030185195-\$ or US-20030093459-\$).did. or (US-5657390-\$ or US-5671279-\$ or US-5825890-\$ or US-5963915-\$ or US-6061796-\$ or US-6064736-\$ or US-6158011-\$ or US-6192416-\$ or US-6438550-\$ or US-6442690-\$ or US-6681017-\$ or US-6694431-\$ or US-6751731-\$ or US-6792113-\$ or US-6851053-\$ or US-6581162-\$ or US-6343280-\$ or US-5649118-\$ or US-5544246-\$ or US-6816970-\$ or US-5638444-\$ or US-6370250-\$ or US-6192130-\$ or US-5982898-\$ or US-5978478-\$ or US-5623546-\$). did. or (US-6829356-\$ or US-6324648-\$ or US-5732137-\$ or US-5636280-\$ or US-5604803-\$ or US-5590199-\$).did. or (EP-851335-\$).did. or (US-6064736-\$ or US-5638444-\$). did.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/03/05 22:32
S40	1265243	(password passcode (pass adj word) \$2crypt\$3 \$2cipher\$3 cipher\$3 key private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3 communicat\$3 connect\$3 channel session shar\$3 request\$3 send\$3 transmitt\$3 transmission pass\$3 non-secure) and "43"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 22:32
S41	43	(password passcode (pass adj word) \$2crypt\$3 \$2cipher\$3 cipher\$3 key private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3 communicat\$3 connect\$3 channel session shar\$3 request\$3 send\$3 transmitt\$3 transmission pass\$3 non-secure) and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 22:40
S42	19	(password passcode (pass adj word) \$2crypt\$3 \$2cipher\$3 cipher\$3 key private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3 communicat\$3 connect\$3 channel session shar\$3 request\$3 send\$3 transmitt\$3 transmission pass\$3 non-secure) and S39 and (password near2 (\$2crypt\$3 \$2cipher\$3 cipher\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 22:48



S43	3	(password passcode (pass adj word) \$2crypt\$3 \$2cipher\$3 cipher\$3 key private secur\$3 \$2crypt\$3 \$2cipher\$3 cipher\$3 communicat\$3 connect\$3 channel session shar\$3 request\$3 send\$3 transmitt\$3 transmission pass\$3 non-secure) and S39 and (password near2 (session adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 22:49
S44	2	("6711719").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 22:57
S45	15	secure adj computer adj communication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/05 23:03